


ITEM NO.	QTY. -041	PART NUMBER	DESCRIPTION
1	X	D4055-041	FUEL TANK ASSEMBLY
2	1	D3997-1	PLACARD "FUEL JET A1"
3	2	D3997-5	PLACARD "AUX FUEL DRAIN"
4	1	D3997-11	PLACARD "LOADING"
5	1	D3997-17	PLACARD "STOWAGE"
6	1	D3997-29	PLACARD "WARNING"
7	1	D3997-43	PLACARD "EARTH"
8	1	D3999-7	CORNER
9	1	D3999-9	ANGLE
10	1	D3999-11	EARTH TAB
11	1	D3999-041	BAFFLE ASSEMBLY, AFT
12	1	D3999-043	BAFFLE ASSEMBLY, FWD
13	1	D4000-1	FUEL SUPPLY FITTING
14	1	D4000-5	FUEL TANK VENT FITTING
15	3	D4000-9	GROMMET
16	1	D4000-041	AFT FUEL SUMP DRAIN ASSEMBLY
17	1	D4000-043	FORWARD FUEL SUMP DRAIN ASSEMBLY
18	1	D4000-045	FUEL PICK UP AND STRAINER ASSEMBLY
19	1	D4001-1	FITTING
20	1	D4008-11	TANK HINGE HALF
21	1	D4008-041	FUEL FILLER SPLASH GUARD ASSEMBLY
22	1	D4023-3	FUEL CAP
23	1	D4025-1	FUEL SENDER
24	1	D4055-1	TANK TOP
25	1	D4055-3	TANK AFT END
26	1	D4055-5	TANK UPPER CUT OUT
27	1	D4055-7	TANK FORWARD END
28	1	D4055-9	TANK BACK
29	1	D4055-11	TANK FRONT AND BOTTOM
30	3	D4057-1	RETAINING RING
31	1	D4404-1	CUSHION
32	5	AN3H5A	BOLT
33	5	NAS1149D0363J	WASHER

B
B
B

B

B



RELEASED
2011-05-30
MNO

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: TOUCH UP CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT "GREY SANTEX" (4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D350-794-041" USING D2729-1 RED DECAL
- 7) WEIGHT: 27.57 lbs
- 8) WELD PER DART QSI 004
- 9) CAP ALL TANK ACCESS POINTS AND PRESSURIZE TANK TO 1.5 PSI AFTER ASSEMBLY. VERIFY NO LEAKS
- 10) MASK PRIOR TO POWDER COAT
- 11) INSTALL AFTER POWDER COAT. REMOVE TEXTURED FINISH LOCALLY PRIOR TO INSTALLATION
- 12) LOCKWIRE BOLTS AFTER INSTALLATION PER AC 43.13 OR MS33540
- 13) INSTALL CUSHION AFTER POWDER COAT USING CONTACT CEMENT. TRIM TO FIT IF REQUIRED.

D4055-041 FUEL TANK ASSEMBLY


B	MOVE CAP POSITION AND CHANGE CAP DESIGN, CHANGE FINISH REQUIREMENTS FOR ALL PARTS, ADD CUSHION UNDER TANK, CORRECT PART NUMBERS	HS	11.05.12
A	NEW ISSUE	HS	10.04.16
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	11.05.12		

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. D4055	REV. B SHEET 1 OF 15
TITLE TANK	SCALE NTS
COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	







RELEASED
2011-05-30
MD




D4055-041 FUEL TANK ASSEMBLY
D4055-9 TANK BACK REMOVED
TO SHOW INTERIOR DETAIL




DETAIL A
ROTATED FOR CLARITY
SCALE 2X
B6-2

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4055	SHEET 2 OF 15
APPROVED		TITLE	SCALE
DE APPR.		TANK	NTS
DATE	11.05.12	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



**D4055-041 FUEL TANK ASSEMBLY
WELDING DETAIL**



**DETAIL B
ROTATED FOR CLARITY
SCALE 2X**



C4-3

RELEASED
2011-05-30

NOTES:

- 1) TRIM FLANGES AS REQUIRED TO FIT ASSEMBLY
- 2) FINAL CHECK BEFORE LAST PANEL INSTALLED
 - END OF FUEL PICK UP TUBE IS 0.60 OFF THE TANK FLOOR AND 1.96 FROM SIDE WALL
 - FWD AND AFT DRAIN TUBES EXTEND TO CENTER OF TANK
 - ALL SWarf REMOVED
- 3) AFTER FINAL ASSEMBLY, SLOSH TANK WITH MIL-S-4383 OR EQUIVALENT (PR-1005-L BUNA-N-SLOSH)
- 4) ACCEPTABLE TO DRILL 6 (TYP) $\varnothing 0.312$ HOLES IN TANK TOP TO WELD TOP TO AFT BAFFLE (1 HOLE PER BAFFLE TAB)
- 5) ACCEPTABLE TO DRILL 7 (TYP) $\varnothing 0.312$ HOLES IN TANK TOP TO WELD TOP TO FWD BAFFLE (1 HOLE PER BAFFLE TAB)
- 6) CENTER HINGE BELOW FUEL CAP FLANGE
- 7) POSITION FUEL CAP FLANGE AS SHOWN, ELONGATED HOLE APPROXIMATELY HORIZONTAL
- 8) POSITION FUEL CAP FLANGE SO THAT INNER FACE IS FLUSH WITH INSIDE OF TANK

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4055	SHEET 3 OF 15
APPROVED		TITLE	SCALE
DE APPR.		TANK	NTS
DATE	11.05.12	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	





**DRAIN TUBE INSTALLATION - TYP
VIEWED FROM ABOVE
FWD END SHOWN, AFT END OPPOSITE**

**D4055-041 FUEL TANK ASSEMBLY
WELDING DETAIL**

RELEASED
2011-05-30

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4055	SHEET 4 OF 15
APPROVED		TITLE	SCALE
DE APPR.		TANK	NTS
DATE	11.05.12	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	





R0.19
TYP

0.50
TYP

25.24

8.64
REF

4.53
REF


D4055-3 TANK AFT END

RELEASED
2011-05-30
W







- NOTES:**
- 1) MATERIAL: MADE FROM D4055-3F
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 1.30 lbs




DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4055	SHEET 6 OF 15
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TANK	NTS
DATE	11.05.12	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



NOTES:
1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.063
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 1.30 lbs

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4055	SHEET 7 OF 15
APPROVED		TITLE	SCALE
DE APPR.		TANK	NTS
DATE	11.05.12	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED
2011-05-20




D4055-5 UPPER CUT OUT

RELEASED
2011-05-30
mm

- NOTES:**
- 1) MATERIAL: MADE FROM D4055-5F
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.10 lbs



DESIGN	<i>[Signature]</i>	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4055	SHEET 8 OF 15
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TANK	NTS
DATE	11.05.12	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	










Superceded

D4055-5F FLAT PATTERN

RELEASED
2011-05-30
AN

- NOTES:
- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.063
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.10 lbs

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4055	SHEET 9 OF 15
APPROVED		TITLE	SCALE
DE APPR.		TANK	NTS
DATE	11.05.12	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			










D4055-7 TANK FORWARD END

- NOTES:**
- 1) MATERIAL: MADE FROM D4055-7F
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 2.56 lbs



RELEASED
2011-05-30
M

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4055	SHEET 10 OF 15
APPROVED		TITLE	SCALE
DE APPR.		TANK	NTS
DATE	11.05.12	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D4055-7F FLAT PATTERN





RELEASED
2011-05-30

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.063
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 2.56 lbs

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4055	SHEET 11 OF 15
APPROVED		TITLE	SCALE
DE APPR.		TANK	NTS
DATE	11.05.12	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	






RELEASED
2011-05-30
NW

D4055-11 TANK FRONT AND BOTTOM

- NOTES:**
- 1) MATERIAL: MADE FROM D4055-11F
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 9.32 lbs









DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4055	SHEET 14 OF 15
APPROVED		TITLE	SCALE
DE APPR.		TANK	NTS
DATE	11.05.12	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



RELEASED
2011-05-30

- NOTES:
- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.063 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.063
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 9.32 lbs

D4055-11F FLAT PATTERN

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4055	SHEET 15 OF 15
APPROVED		TITLE	SCALE
DE APPR.		TANK	NTS
DATE	11.05.12	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	